



## Analytical Balance TRAB-612

[www.shakerdeals.com](http://www.shakerdeals.com) | [info@shakerdeals.com](mailto:info@shakerdeals.com)

## Description

Analytical Balance TRAB-612 is a fully automatic, internal calibration device with a completely transparent glass windshield. It has a huge backlit LCD, which improves the operator's visibility. It can weigh up to 210 g from 0 and has a minimum reading of 0.001 g. It is a faster and much more reliable device with a double CAM experiment.

## Features:

- It has humanized design, novel structure, and 5 fully transparent glass windshield surfaces
- With the piece, unit conversion, full-range peel, zero tracking, and other features such as multi-functionality, simple and dependable operation
- Includes an RS232C output interface that can be directly connected to a computer, printer, another device
- It employs a double CAM experiment with a fully automatic internal calibration function, which increases its stability and speed
- The Balance includes applications such as preheating, calibration, screen saver, and others
- The large backlit LCD screen improves the operator's vision by making it more soft and clear

Specifications :

|                     |                     |
|---------------------|---------------------|
| Linear Error        | ±0.0005 g           |
| Minimum Reading     | 0.0001 g            |
| Output Interface    | Rs232C              |
| Pan Size            | Ø80 mm              |
| Power               | 220V+22V/-33V, 50Hz |
| Repeatability Error | 0.0002 g            |
| Scale Interval      | 0.1 mg              |
| Size                | 330×215×350 mm      |
| Weighing Range      | 0 to 210 g          |
| Weight              | 7.5 Kg              |



Dallas Parkway Plano TX 75093, USA  
Email: [info@shakerdeals.com](mailto:info@shakerdeals.com) | Website: [www.shakerdeals.com](http://www.shakerdeals.com)