



## **Vertical Air Laminar Flow Cabinet TRVLC-605**

[www.shakerdeals.com](http://www.shakerdeals.com) | [info@shakerdeals.com](mailto:info@shakerdeals.com)

## Description

Vertical Air Laminar Flow Cabinet TRVLC-605 is equipped with a fan system with adjustable airflow at normal wind speeds of 0.25 to 0.45 m / s. It has a single, single dimension. There are HEPA filters and primary filters. With stainless steel, workspace, and glass sliding door. The maximum power consumption is 400W. A digital display panel with a liquid crystal-liquid interface controls the system. Comes with an outlet.

## Features:

- The vertical closed worktop effectively prevents outside gas from entering and the weird odor
- It employs a wind volume adjustable fan system
- A light-touch type switch and a dual-speed voltage regulation device to maintain a suitable wind speed in the working area
- The personalized design takes into account all of the user's requirements
- It uses a spring-type sliding door that can be oriented in the desired position
- It is designed to be operated easily
- The front cover can be easily accessible to swap screens and electrical equipment
- The work area is made with stainless steel, resistant to corrosion, and easy to clean
- Having a digital display operates with a liquid crystal interface
- It is having with the HEPA filter and primary filter
- The HEPA filter ensures a clean environment in the work area

## Specifications :

<b>Dimension Of Working Area(W1×D1×H1)</b>	880×650×580mm
<b>Half Ventilation Peak Value</b>	? 3?m(XYZ direction)
<b>Illumination</b>	?300LX
<b>Maximum Power Consumption</b>	400W
<b>Noise</b>	?62dB
<b>Number of Bacteria</b>	?0.5per utensil. Hour (90mm utensil)
<b>Overall Dimension (W×D×H)</b>	1040×720×1600mm
<b>Power Supply</b>	AC, 220 V/50Hz
<b>Specification And Number Of Fluorescent lamps Or UV Lamps Of Ultraviolet Lights</b>	8W×1/10 W×1
<b>Suited Number</b>	single-single
<b>The Average Wind Speed</b>	0.25 to 0.45m/s



Dallas Parkway Plano TX 75093, USA  
Email: [info@shakerdeals.com](mailto:info@shakerdeals.com) | Website: [www.shakerdeals.com](http://www.shakerdeals.com)