



Vertical and Horizontal Laminar Flow Cabinet TRVHC-601

www.shakerdeals.com | info@shakerdeals.com

Description

Vertical and Horizontal Laminar Flow Cabinet TRVHC-601 material is stainless steel, and a wind volume adjustable fan system is used. Based on a one-dimensional system. It has a sliding glass door that allows for easy observation. The device prevents outside gas from entering the operating room, preventing a strange odor from entering. The range of illumination is 300LX.

Features:

- The vertical closed bench effectively prevents outside gas from entering
- Able to operate area and prevents the slightly odd aroma
- A wind volume adjustable fan system
- A light-touch type switch and a dual-speed voltage regulation device
- the personalized design takes into account all of the user's requirements
- It uses a spring-type sliding door to allow the door to be geared in the desired position
- It is easier to use
- Filters and electric components can easily be exchanged by opening the front cover directly
- Use the LED panel to your advantage
- The stainless steel used for the workspace

Specifications :

Dimension Of Working Area(W1×D1×H1)	870×500×620mm
Efficient Filter Specifications And Quantities	865×600×38×1/865×484×38×1
Half Ventilation Peak Value	? 3?m(XYZ direction)
Illumination	?300LX
MaximumPower Consumption	300W
Noise	?62dB
Number of Bacteria	?0.5per utensil. Hour(90mm utensil)
Overall Dimension W×D×H	1050×760×1800mm
Power Supply	AC, 220 V/50Hz
Specification And Number Of Fluorescent Lamp Or UV Lamp Of Ultraviolet Lights	20W×1/20W×1
Suited Number	Single-Single
The Average Wind Speed	0.25 to 0.45m/s(Speed two-speed)
Weight	150 Kg



Dallas Parkway Plano TX 75093, USA
Email: info@shakerdeals.com | Website: www.shakerdeals.com